

Safety Data Sheet

Issue Date: 01-Nov-2021

Revision Date: 02-Nov-2021

Version 1

1. IDENTIFICATION

Product identifier

Product Name PATINA STAIN – Avocado

Other means of identification

SDS # SD-005

UN/ID No UN3264

Recommended use of the chemical and restrictions on use

Recommended Use Concrete stain.

Details of the supplier of the safety data sheet

Supplier Address

The Sealer Depot LLC
325 Commerce Blvd,
Liverpool, NY 13088
Phone: (315) 451-2837

Emergency telephone number

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Appearance Clear green liquid

Physical state Liquid

Odor Acrid

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

Signal Word

Danger

Hazard statements

Harmful if swallowed
Causes severe skin burns and eye damage
May be corrosive to metals



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Do not breathe dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection
Keep only in original container

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

IN CASE OF SPILL: Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Cupric Chloride	7447-39-4	14-16
Ferrous sulfate, monohydrate	7720-78-7	5-7
Hydrochloric acid	7647-01-0	2-3

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center or doctor/physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	Call a poison center or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms	Harmful if swallowed. Causes severe skin burns and eye damage.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Contact with common metals produces hydrogen gas that may form explosive mixtures in air. Use a water spray or fog to reduce or direct vapors. Trained personnel may neutralize spill.

Hazardous combustion products Hydrogen chloride. Chlorine. Manganese, iron and chromium oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Do not touch damaged packages or spilled material.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Neutralize with soda ash or other acid-neutralizing agent. Keep in suitable, closed containers for disposal. Flush area with water. Spills of 5,000 pounds or more must be reported to the National Response Center (800-424-8802) pursuant to the Comprehensive Environmental Response, Compensation and Liability Act.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing and eye/face protection. Keep only in original container. When diluting, slowly add acid to the water to avoid boiling or splattering.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Store away from incompatible materials.

Incompatible Materials Oxidizing materials. Reducing agents. Strong bases. Carbides. Turpentine. Phosphorus hydrogen sulphide. Organic materials. Cyanides. Sulfides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Cupric Chloride 7447-39-4	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist
Ferrous sulfate, monohydrate 7720-78-7	TWA: 1 mg/m ³ Fe	(vacated) TWA: 1 mg/m ³ Fe	TWA: 1 mg/m ³ Fe
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³ Ceiling: 5 ppm Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Chemical goggles recommended. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Acrid
Appearance	Clear green liquid	Odor Threshold	Not determined
Color	Clear green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	<1	
Melting point / freezing point	0 °C / 32 °F	
Boiling point / boiling range	108 °C / 226 °F	
Flash point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid - Not Applicable	
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	
Lower flammability or explosive limits	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	~1.18	(Water=1)
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	

Explosive Properties	Not determined
Oxidizing Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

Oxidizing materials. Reducing agents. Strong bases. Carbides. Turpentine. Phosphorus hydrogen sulphide. Organic materials. Cyanides. Sulfides.

Hazardous decomposition products

Hydrogen chloride. Chlorine. Manganese, iron and chromium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Do not inhale.

Ingestion Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cupric Chloride 7447-39-4	= 140 mg/kg (Rat)	-	-
Ferrous sulfate, monohydrate 7720-78-7	= 319 mg/kg (Rat)	-	-
Hydrochloric acid 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrochloric acid 7647-01-0		Group 3		X

Legend*IARC (International Agency for Research on Cancer)**Group 3 - Not Classifiable as to Carcinogenicity in Humans**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**X - Present***Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	671.8880 mg/kg
Gas	18,776.70 mg/L
ATEmix (inhalation-dust/mist)	16.70 mg/L

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ferrous sulfate, monohydrate 7720-78-7		0.56: 96 h Cyprinus carpio mg/L LC50 semi-static 925: 96 h Poecilia reticulata mg/L LC50 static	6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static 152: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Cupric Chloride 7447-39-4	Toxic

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN3264
Proper Shipping Name Corrosive Liquid, Acidic, Inorganic, n.o.s (copper chloride, hydrochloric acid)
Hazard class 8
Packing Group II
Reportable Quantity (RQ) 4.54 kg (or 15 liters)

IATA

UN number UN3264
Proper Shipping Name Corrosive Liquid, Acidic, Inorganic, n.o.s (copper chloride, hydrochloric acid)
Transport hazard class(es) 8
Packing Group II

IMDG

UN number UN3264
Proper Shipping Name Corrosive Liquid, Acidic, Inorganic, n.o.s (copper chloride, hydrochloric acid)
Transport hazard class(es) 8
Packing Group II
Marine Pollutant Yes, if inner package is greater than 1.3 gallons (5 liters)

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Cupric Chloride	X	ACTIVE	X	X	X	X	X	X	X
Ferrous sulfate, monohydrate	X	ACTIVE	X	X	X	X	X	X	X
Hydrochloric acid	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Cupric Chloride 7447-39-4	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Ferrous sulfate, monohydrate 7720-78-7	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Hydrochloric acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Cupric Chloride - 7447-39-4	7447-39-4	14-16	1.0
Hydrochloric acid - 7647-01-0	7647-01-0	2-3	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Cupric Chloride	10 lb	X		X
Ferrous sulfate, monohydrate	1000 lb			X
Hydrochloric acid	5000 lb			X

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Cupric Chloride 7447-39-4	X	X	X
Ferrous sulfate, monohydrate 7720-78-7	X	X	X
Hydrochloric acid 7647-01-0	X	X	X

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical hazards****Personal Protection**

3

0

1

Not determined

Issue Date:

01-Nov-2021

Revision Date:

02-Nov-2021

Revision Note:

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet