Safety Data Sheet

Issue Date: 01-Nov-2021 **Revision Date:** 03-Nov-2021 **Version** 1

1. IDENTIFICATION

Product identifier
Product Name ATINA STAIN – English Amber

Other means of identification
SDS # SD-008

UN/ID No UN3264

Recommended use of the chemical and restrictions on use
Recommended Use Concrete stain.

Details of the supplier of the safety data sheet
Supplier Address
The Sealer Depot LLC
325 Commerce Blvd,
Liverpool, NY 13088
Phone: (315) 451-2837

Emergency telephone number
Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Appearance Clear amber liquid **Physical state** Liquid **Odor** Acrid

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Corrosive to metals	Category 1

Signal Word
Danger

Hazard statements
Harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause an allergic skin reaction
May cause genetic defects
May cause cancer
May damage fertility or the unborn child
Causes damage to organs through prolonged or repeated exposure
May be corrosive to metals

Precautionary Statements - Prevention
Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
In case of inadequate ventilation wear respiratory protection
Contaminated work clothing must not be allowed out of the workplace
Wear protective gloves
Keep only in original container

Precautionary Statements - Response
Immediately call a poison center or doctor/physician
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a poison center or doctor/physician if you feel unwell
Immediately call a poison center or doctor/physician
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Do NOT induce vomiting
IN CASE OF SPILL: Absorb spillage to prevent material damage

Precautionary Statements - Storage
Store locked up
Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal
Dispose of contents/container to an approved waste disposal plant

Other hazards
Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Ferrous sulfate, monohydrate	7720-78-7	21-25
Hydrochloric acid	7647-01-0	2-3
Sodium dichromate	10588-01-9	1-2

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Have victim drink 10oz of water. If milk is available, administer after the water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Immediately call a poison center or doctor/physician.

Most important symptoms and effects, both acute and delayed

Symptoms Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Use a water spray or fog to reduce or direct vapors. Use water to keep fire-exposed structures and container cool.

Hazardous combustion products Hydrogen chloride. Chlorine. Manganese, iron and chromium oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Neutralize with soda ash or other acid-neutralizing agent. Keep in suitable, closed containers for disposal. Flush area with water. Spills of 5,000 pounds or more must be reported to the National Response Center (800-424-8802) pursuant to the Comprehensive Environmental Response, Compensation and Liability Act.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials Oxidizing materials. Reducing agents. Strong bases. Carbides. Turpentine. Phosphorus hydrogen sulphide. Organic materials. Cyanides. Sulfides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ferrous sulfate, monohydrate 7720-78-7	TWA: 1 mg/m^3 Fe	(vacated) TWA: 1 mg/m^3 Fe	TWA: 1 mg/m^3 Fe
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m^3 Ceiling: 5 ppm Ceiling: 7 mg/m^3	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m^3
Sodium dichromate 10588-01-9	STEL: 0.0005 mg/m^3 Cr(VI) inhalable particulate matter TWA: 0.0002 mg/m^3 Cr(VI) inhalable particulate matter S*	TWA: 5 µg/m^3 (vacated) Ceiling: 0.1 mg/m^3 Ceiling: 0.1 mg/m^3 CrO3 applies to any operations or sectors for which the Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not in effect	IDLH: 15 mg/m^3 Cr(VI) TWA: 0.0002 mg/m^3 Cr

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Chemical safety goggles are recommended. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	Clear amber liquid	**Odor**	Acrid
Color	Clear amber	**Odor Threshold**	Not determined

Property	**Values**	**Remarks • Method**
pH	<1	
Melting point / freezing point	0 °C / 32 °F	
Boiling point / boiling range	108 °C / 226 °F	
Flash point	Not determined	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid - Not Applicable	
Flammability Limit in Air		
Upper flammability or explosive limits	Not determined	
Lower flammability or explosive limits	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	~1.18	(Water=1)
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity
Not reactive under normal conditions.

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid
Keep out of reach of children.

Incompatible materials
Oxidizing materials. Reducing agents. Strong bases. Carbides. Turpentine. Phosphorus hydrogen sulphide. Organic materials. Cyanides. Sulfides.

Hazardous decomposition products
Hydrogen chloride. Chlorine. Manganese, iron and chromium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation Harmful if inhaled.

Ingestion Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ferrous sulfate, monohydrate 7720-78-7	= 319 mg/kg (Rat)	-	-
Hydrochloric acid 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h
Sodium dichromate 10588-01-9	= 46 mg/kg (Rat)	= 960 mg/kg (Rabbit)	= 200 mg/m^3 (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrochloric acid 7647-01-0		Group 3		X
Sodium dichromate 10588-01-9	A1	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 3 - Not Classifiable as to Carcinogenicity in Humans
NTP (National Toxicology Program)
Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

Reproductive toxicity May damage fertility or the unborn child.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 1,031.7021 mg/kg
Dermal LD50 25,861.00 mg/kg
ATEmix (inhalation-dust/mist) 1.31 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity
Very toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ferrous sulfate, monohydrate 7720-78-7		0.56: 96 h Cyprinus carpio mg/L LC50 semi-static 925: 96 h Poecilia reticulata mg/L LC50 static	6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static 152: 48 h Daphnia magna mg/L EC50
Sodium dichromate 10588-01-9		213: 96 h Lepomis macrochirus mg/L LC50 static 33.2: 96 h Pimephales promelas mg/L LC50 flow-through 69: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	0.098 - 0.129: 48 h Daphnia magna mg/L EC50

Persistence/Degradability
Not determined.

Bioaccumulation
There is no data for this product.

Mobility
Not determined

Other Adverse Effects
Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Sodium dichromate 10588-01-9	Toxic Corrosive Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN3264
Proper Shipping Name Corrosive Liquid, Acidic, Inorganic, n.o.s. (ferrous sulphate, hydrochloric acid)
Hazard class 8
Packing Group II
Reportable Quantity (RQ) RQ 4.54 kg (sodium dichromate), or 250 liters of Patina Stain

IATA

UN number	UN3264
Proper Shipping Name	Corrosive Liquid, Acidic, Inorganic, n.o.s. (ferrous sulphate, hydrochloric acid)
Transport hazard class(es)	8
Packing Group	II

IMDG

UN number	UN3264
Proper Shipping Name	Corrosive Liquid, Acidic, Inorganic, n.o.s. (ferrous sulphate, hydrochloric acid)
Transport hazard class(es)	8
Packing Group	II
Marine Pollutant	Yes, if inner package is greater than 1.3 gallons (5 liters)

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ferrous sulfate, monohydrate	X	ACTIVE	X	X	X	X	X	X	X
Hydrochloric acid	X	ACTIVE	X	X	X	X	X	X	X
Sodium dichromate	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA *- United States Toxic Substances Control Act Section 8(b) Inventory*

DSL/NDSL *- Canadian Domestic Substances List/Non-Domestic Substances List*

EINECS/ELINCS *- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

ENCS *- Japan Existing and New Chemical Substances*

IECSC *- China Inventory of Existing Chemical Substances*

KECL *- Korean Existing and Evaluated Chemical Substances*

PICCS *- Philippines Inventory of Chemicals and Chemical Substances*

AICS *- Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ferrous sulfate, monohydrate 7720-78-7	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Hydrochloric acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ
Sodium dichromate 10588-01-9	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Hydrochloric acid - 7647-01-0	7647-01-0	2-3	1.0
Sodium dichromate - 10588-01-9	10588-01-9	1-2	0.1

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ferrous sulfate, monohydrate	1000 lb			X
Hydrochloric acid	5000 lb			X
Sodium dichromate	10 lb	X		X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Sodium dichromate - 10588-01-9	Carcinogen Developmental Female Reproductive Male Reproductive

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ferrous sulfate, monohydrate 7720-78-7	X	X	X
Hydrochloric acid 7647-01-0	X	X	X
Sodium dichromate 10588-01-9	X	X	X

16. OTHER INFORMATION

NFPA	**Health Hazards**	**Flammability**	**Instability**	**Special Hazards**
	Not determined	Not determined	Not determined	Not determined
HMIS	**Health Hazards**	**Flammability**	**Physical hazards**	**Personal Protection**
	3	0	1	Not determined

Issue Date: 01-Nov-2021
Revision Date: 03-Nov-2021
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet