

# Safety Data Sheet

Issue Date: 01-Nov-2021

Revision Date: 03-Nov-2021

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** PATINA STAIN – Mocha

### Other means of identification

**SDS #** SD-009

**UN/ID No** UN3264

### Recommended use of the chemical and restrictions on use

**Recommended Use** Concrete stain.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

The Sealer Depot LLC  
325 Commerce Blvd,  
Liverpool, NY 13088  
Phone: (315) 451-2837

### Emergency telephone number

**Emergency Telephone** Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear dark brown liquid

**Physical state** Liquid

**Odor** Acrid

### Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1
Corrosive to metals	Category 1

### Signal Word

**Danger**

### Hazard statements

Harmful if swallowed  
Harmful if inhaled  
Causes severe skin burns and eye damage  
May cause allergy or asthma symptoms or breathing difficulties if inhaled  
May cause an allergic skin reaction  
May cause genetic defects  
May cause cancer  
May damage fertility or the unborn child  
Causes damage to organs through prolonged or repeated exposure  
May be corrosive to metals

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Use only outdoors or in a well-ventilated area  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 In case of inadequate ventilation wear respiratory protection  
 Contaminated work clothing must not be allowed out of the workplace  
 Wear protective gloves  
 Keep only in original container

**Precautionary Statements - Response**

Immediately call a poison center or doctor/physician  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a poison center or doctor/physician  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 Wash contaminated clothing before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a poison center or doctor/physician if you feel unwell  
 Immediately call a poison center or doctor/physician  
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
 Rinse mouth  
 Do NOT induce vomiting  
 IN CASE OF SPILL: Absorb spillage to prevent material damage

**Precautionary Statements - Storage**

Store locked up  
 Store in corrosive resistant container with a resistant inner liner

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards**

Very toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Ferrous sulfate, monohydrate	7720-78-7	13-15
Manganese Nitrate	10377-66-9	8-10
Sodium dichromate	10588-01-9	2-3
Hydrochloric acid	7647-01-0	2-3

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

### Description of first aid measures

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Have victim drink 10oz of water. If milk is available, administer after the water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Immediately call a poison center or doctor/physician.

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.
-----------------	---

### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Use a water spray or fog to reduce or direct vapors. Use water to keep fire-exposed structures and container cool.

**Hazardous combustion products** Hydrogen chloride. Chlorine. Manganese, iron and chromium oxides.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

<b>Personal Precautions</b>	Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas.
-----------------------------	--

### Environmental precautions

<b>Environmental precautions</b>	See Section 12 for additional Ecological Information.
----------------------------------	---

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for Clean-Up</b>	Neutralize with soda ash or other acid-neutralizing agent. Keep in suitable, closed containers for disposal. Flush area with water. Spills of 5,000 pounds or more must be reported to the National Response Center (800-424-8802) pursuant to the Comprehensive Environmental Response, Compensation and Liability Act.

**7. HANDLING AND STORAGE****Precautions for safe handling**

<b>Advice on Safe Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace.
--------------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.
<b>Incompatible Materials</b>	Oxidizing materials. Reducing agents. Strong bases. Carbides. Turpentine. Phosphorus hydrogen sulphide. Organic materials. Cyanides. Sulfides.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ferrous sulfate, monohydrate 7720-78-7	TWA: 1 mg/m <sup>3</sup> Fe	(vacated) TWA: 1 mg/m <sup>3</sup> Fe	TWA: 1 mg/m <sup>3</sup> Fe
Manganese Nitrate 10377-66-9	TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter	(vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 500 mg/m <sup>3</sup> Mn TWA: 1 mg/m <sup>3</sup> Mn STEL: 3 mg/m <sup>3</sup> Mn
Sodium dichromate 10588-01-9	STEL: 0.0005 mg/m <sup>3</sup> Cr(VI) inhalable particulate matter TWA: 0.0002 mg/m <sup>3</sup> Cr(VI) inhalable particulate matter S*	TWA: 5 µg/m <sup>3</sup> (vacated) Ceiling: 0.1 mg/m <sup>3</sup> Ceiling: 0.1 mg/m <sup>3</sup> CrO <sub>3</sub> applies to any operations or sectors for which the Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not in effect	IDLH: 15 mg/m <sup>3</sup> Cr(VI) TWA: 0.0002 mg/m <sup>3</sup> Cr
Hydrochloric acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m <sup>3</sup> Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>

**Appropriate engineering controls**

<b>Engineering Controls</b>	Apply technical measures to comply with the occupational exposure limits.
-----------------------------	---

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Wear eye/face protection. Chemical safety goggles are recommended. Refer to 29 CFR 1910.133 for eye and face protection regulations.
<b>Skin and Body Protection</b>	Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid		
<b>Appearance</b>	Clear dark brown liquid	<b>Odor</b>	Acrid
<b>Color</b>	Clear dark brown	<b>Odor Threshold</b>	Not determined
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
<b>pH</b>	<1		
<b>Melting point / freezing point</b>	0 °C / 32 °F		
<b>Boiling point / boiling range</b>	108 °C / 226 °F		
<b>Flash point</b>	Not determined		
<b>Evaporation Rate</b>	Not determined		
<b>Flammability (Solid, Gas)</b>	Liquid - Not Applicable		
<b>Flammability Limit in Air</b>			
<b>Upper flammability or explosive limits</b>	Not determined		
<b>Lower flammability or explosive limits</b>	Not determined		
<b>Vapor Pressure</b>	Not determined		
<b>Vapor Density</b>	Not determined		
<b>Relative Density</b>	~1.21	(Water=1)	
<b>Water Solubility</b>	Not determined		
<b>Solubility in other solvents</b>	Not determined		
<b>Partition Coefficient</b>	Not determined		
<b>Autoignition temperature</b>	Not determined		
<b>Decomposition temperature</b>	Not determined		
<b>Kinematic viscosity</b>	Not determined		
<b>Dynamic Viscosity</b>	Not determined		
<b>Explosive Properties</b>	Not determined		
<b>Oxidizing Properties</b>	Not determined		

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible materials

Oxidizing materials. Reducing agents. Strong bases. Carbides. Turpentine. Phosphorus hydrogen sulphide. Organic materials. Cyanides. Sulfides.

### Hazardous decomposition products

Hydrogen chloride. Chlorine. Manganese, iron and chromium oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	Causes severe skin burns.
<b>Inhalation</b>	Harmful if inhaled.
<b>Ingestion</b>	Harmful if swallowed.

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ferrous sulfate, monohydrate 7720-78-7	= 319 mg/kg ( Rat )	-	-
Sodium dichromate 10588-01-9	= 46 mg/kg ( Rat )	= 960 mg/kg ( Rabbit )	= 200 mg/m <sup>3</sup> ( Rat ) 4 h
Hydrochloric acid 7647-01-0	238 - 277 mg/kg ( Rat )	> 5010 mg/kg ( Rabbit )	= 1.68 mg/L ( Rat ) 1 h

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Sensitization</b>	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	May cause genetic defects.
<b>Carcinogenicity</b>	May cause cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
Sodium dichromate 10588-01-9	A1	Group 1	Known	X
Hydrochloric acid 7647-01-0		Group 3		X

#### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)**  
 A1 - Known Human Carcinogen  
**IARC (International Agency for Research on Cancer)**  
 Group 1 - Carcinogenic to Humans  
 Group 3 - Not Classifiable as to Carcinogenicity in Humans  
**NTP (National Toxicology Program)**  
 Known - Known Carcinogen  
**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**  
 X - Present

<b>Reproductive toxicity</b>	May damage fertility or the unborn child.
<b>STOT - repeated exposure</b>	Causes damage to organs through prolonged or repeated exposure.

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

<b>Oral LD50</b>	1,115.70 mg/kg
<b>Dermal LD50</b>	30,070.90 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	1.5182 mg/L

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Very toxic to aquatic life with long lasting effects.

### Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ferrous sulfate, monohydrate 7720-78-7		0.56: 96 h Cyprinus carpio mg/L LC50 semi-static 925: 96 h Poecilia reticulata mg/L LC50 static	6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static 152: 48 h Daphnia magna mg/L EC50
Sodium Bi Chromate 10588-01-9		213: 96 h Lepomis macrochirus mg/L LC50 static 33.2: 96 h Pimephales promelas mg/L LC50 flow-through 69: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	0.098 - 0.129: 48 h Daphnia magna mg/L EC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

There is no data for this product.

### Mobility

Not determined

### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

### California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Manganese Nitrate 10377-66-9	Toxic Ignitable
Sodium dichromate 10588-01-9	Toxic Corrosive Ignitable

## 14. TRANSPORT INFORMATION

### Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

### DOT

**UN/ID No** UN3264  
**Proper Shipping Name** Corrosive Liquid, Acidic, Inorganic, n.o.s. (ferrous sulphate, hydrochloric acid)  
**Hazard class** 8  
**Packing Group** II  
**Reportable Quantity (RQ)** RQ 4.54 kg (sodium dichromate), or 317 liters of Patina Stain

**IATA**

<b>UN number</b>	UN3264
<b>Proper Shipping Name</b>	Corrosive Liquid, Acidic, Inorganic, n.o.s. (ferrous sulphate, hydrochloric acid)
<b>Transport hazard class(es)</b>	8
<b>Packing Group</b>	II

**IMDG**

<b>UN number</b>	UN3264
<b>Proper Shipping Name</b>	Corrosive Liquid, Acidic, Inorganic, n.o.s. (ferrous sulphate, hydrochloric acid)
<b>Transport hazard class(es)</b>	8
<b>Packing Group</b>	II
<b>Marine Pollutant</b>	Yes, if inner package is greater than 1.3 gallons (5 liters)

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ferrous sulfate, monohydrate	X	ACTIVE	X	X	X	X	X	X	X
Manganese Nitrate	X	ACTIVE	X	X	X	X	X	X	X
Sodium dichromate	X	ACTIVE	X	X	X	X	X	X	X
Hydrochloric acid	X	ACTIVE	X	X	X	X	X	X	X

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations****CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ferrous sulfate, monohydrate 7720-78-7	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium dichromate 10588-01-9	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Hydrochloric acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Manganese Nitrate - 10377-66-9	10377-66-9	12-14	1.0
Sodium dichromate - 10588-01-9	10588-01-9	2-3	0.1
Hydrochloric acid - 7647-01-0	7647-01-0	2-3	1.0



**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ferrous sulfate, monohydrate	1000 lb			X
Sodium dichromate	10 lb	X		X
Hydrochloric acid	5000 lb			X

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Sodium dichromate - 10588-01-9	Carcinogen Developmental Female Reproductive Male Reproductive

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ferrous sulfate, monohydrate 7720-78-7	X	X	X
Manganese Nitrate 10377-66-9	X		X
Sodium dichromate 10588-01-9	X	X	X
Hydrochloric acid 7647-01-0	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

Not determined

**Flammability**

Not determined

**Instability**

Not determined

**Special Hazards**

Not determined

**HMIS****Health Hazards**

3

**Flammability**

0

**Physical hazards**

1

**Personal Protection**

Not determined

**Issue Date:**

01-Nov-2021

**Revision Date:**

03-Nov-2021

**Revision Note:**

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**